JOURNAL OF THE AMERICAN PODIATRIC MEDICAL ASSOCIATION

January–December 2010
Volume 100

SUBJECT INDEX

A

Amputation
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Debridement of the noninfected wound [Cornell et al], 5:353
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Organized programs to prevent lower-extremity amputations [Rogers and Bevilacqua], 2:101; (letter) [Renzi], 4:313; (author's response) [Rogers and Bevilacqua], 4:313
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Anatomy
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Painful os intermetatarseum [Smith and Welch], 3:213

Aneurysm
Venous aneurysm of the dorsal venous arch: a case with an unusual etiology [Sadr and Paes], 2:143

Angiokeratoma
Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502

Anisomelia
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452

Ankle
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

Anthropometry
Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14

Antibiotics
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Apligraf
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73

Artery
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209

Arthritis
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178

Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

Arthropathy
Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138

B

Balance
A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242

Becaplermin
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155

Biomechanics
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78

Blister
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116

Bone
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Painful os intermetatarseum [Smith and Welch], 3:213
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

Bowen's disease
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304

C

Calcaneus
Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Ultrasound-guided Weil percutaneous plantar fasciotomy [DeBrule], 2:146
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis (letter) [Turlik], 4:312; (author's response) [Stratton], 4:312

Callus
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10

Cancer
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Synovial sarcoma of the foot: a case report [Racz et al], 3:216

Carcinoma
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304

Cartilage
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189

Catfish sting
Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493

Chondrocalcinosis
Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138

Collagen
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73

Computer-aided design
New techniques advance foot orthosis design (abstract) [Lidtke et al], 1:66

Corticosteroids
Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105

Costs, health-care
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335

Curriculum
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69

Cyst, inclusion
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133

D

Debridement
Debridement of the noninfected wound [Cornell et al], 5:353

Decompression, nerve
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111

Depression
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445

Diabetes mellitus
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Organized programs to prevent lower-extremity amputations [Rogers and Bevilacqua], 2:101; (letter) [Renzi], 4:313; (author's response) [Rogers and Bevilacqua], 4:313
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Dressing
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155

E

Education
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69
The role of institutional selectivity in the prediction of podiatric medical school performance [Smith and Geletta], 6:479

Electrostimulation
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis (letter) [Turlik], 4:312; (author's response) [Stratton], 4:312

Endovascular therapy
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424

Envenomation
Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493

Equinus deformity
Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195

Erythema multiforme
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Exostosis
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296

Extracorporeal shockwave treatment
Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105

F

Fasciitis, plantar
Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Ultrasound-guided Weil percutaneous plantar fasciotomy [De-Brule], 2:146
Use of low-frequency electrical stimulation for the treatment of plantar fasciitis (letter) [Turlik], 4:312; (author's response) [Stratton], 4:312

Fever
Fever—an update [Becker and Wu], 4:281

Flatfoot
Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463

Foot structure
Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83

Foot type
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14

Footwear
Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456

Forefoot
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80

Friction
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116

Fungus
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

G

Gait
Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242

Graft
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Guidelines, authors'
Guidelines for authors [Joseph], 1:86, 2:149, 5:439

H

Haglund's deformity
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78

Hallux
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296

Hallux limitus
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1

Hallux rigidus
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220

Hallux valgus
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Mini TightRope system for hallux abducto valgus deformity: a discussion and case report [West], 4:291
Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

Hemodynamics
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406

History, medical
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317

Hoover cord maneuver
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220

Hopelessness
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445

Human skin equivalent
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Hyaluronic acid
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

Hyperbaric oxygen therapy
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

I

Imaging
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463
Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209

Immunosuppression
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304

Infection
Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Injection
Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

Injury
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185

In-toeing
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472

Ischemia
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309

J

Joint
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
Mini TightRope system for hallux abducto valgus deformity: a discussion and case report [West], 4:291
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
Pseudogout of the first metatarsophalangeal joint associated with

hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138
Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

K

Kinematics
Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251

Kinetics
Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518

Knee
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178

L

Laser
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

Legal issues
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511

Lesion
Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Synovial sarcoma of the foot: a case report [Racz et al], 3:216

Limb-length discrepancy
Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452

Lipoma
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487

Lymphoma
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505

M

Manipulation
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220

Measurement
Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463
Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14
Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258
In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195

Metatarsal
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Mini TightRope system for hallux abducto valgus deformity: a discussion and case report [West], 4:291
Painful os intermetatarseum [Smith and Welch], 3:213
Poor sitting posture and metatarsus adductus deformity (letter) [Williams and James]; (author's response) [Losa Iglesias et al], 3:231
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

Metatarsus adductus deformity
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Poor sitting posture and metatarsus adductus deformity (letter) [Williams and James]; (author's response) [Losa Iglesias et al], 3:231

Metatarsus primus varus
Painful os intermetatarseum [Smith and Welch], 3:213

N

Nail
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

Narcotics
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511

Necrolysis, toxic epidermal
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Necrosis
Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493

Negative-pressure wound therapy
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Nerve
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Neuropathy
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

O

Off-loading
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369

Onychomycosis
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

Opioids
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511

Orthoses
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
New techniques advance foot orthosis design (abstract) [Lidtke et al], 1:66
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456

Ossicle
Painful os intermetatarseum [Smith and Welch], 3:213

Osteoarthritis
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

Osteochondritis dissecans
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25

Osteochondroma
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296

Osteomyelitis
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52

Osteopathic medicine
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69

Osteotomy
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

P

Pain
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
What you can't feel can hurt you [Boulton], 5:349

Paresthesia
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209

Paronychia
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133

Pediatric population
Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463
Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472

Peripheral arterial disease
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406

Pes planus
Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463

Pharmacokinetics
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52

Posture
Poor sitting posture and metatarsus adductus deformity (letter) [Williams and James]; (author's response) [Losa Iglesias et al], 3:231

President's Message
APMA House of Delegates: acceptance address [Stone], 3:232
Foot soldiers in the battle for recognition [Stone], 5:442
Let your light shine [Stone], 6:531
A shout for women DPMs, and a cheer for equality [Stone], 4:314
When do you stop swimming? [Jensen], 2:154
You are not alone [Jensen], 1:91

Pressure, plantar
Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369

Pseudogout
Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138

Psychology
Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445

Pulley, retrotalar
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220

R

Running
Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456

S

Sarcoma
A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Synovial sarcoma of the foot: a case report [Racz et al], 3:216

Sesamoid
Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

Shear forces
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265

Skin
Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Splinting
Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161

Sports medicine
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116

Stevens-Johnson syndrome
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Stress, mechanical
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265

Surgery
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Debridement of the noninfected wound [Cornell et al], 5:353
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Mini TightRope system for hallux abducto valgus deformity: a discussion and case report [West], 4:291
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Organized programs to prevent lower-extremity amputations [Rogers and Bevilacqua], 2:101; (letter) [Renzi], 4:313; (author's response) [Rogers and Bevilacqua], 4:313
The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Ultrasound-guided Weil percutaneous plantar fasciotomy [DeBrule], 2:146
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Sutures
Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185

T

Talus
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189

Taping
Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41

Tarsal tunnel syndrome
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209

Temperature, body
Fever—an update [Becker and Wu], 4:281

Temperature, foot
Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258

Tendon
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185

Tenodesis
Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220

Tricalcium phosphate bone void filler
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487

Tibia
Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121

Transplantation
Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304

Trimethoprim-sulfamethoxazole
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Tumor
Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Synovial sarcoma of the foot: a case report [Racz et al], 3:216

U

Ulcer
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Debridement of the noninfected wound [Cornell et al], 5:353
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Low recurrence rate of diabetic foot ulcer after nerve decompression [Nickerson], 2:111
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406
Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Ultrasound
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209
Ultrasound-guided Weil percutaneous plantar fasciotomy [DeBrule], 2:146

V

Vascular system
Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus [Pomposelli], 5:412
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Debridement of the noninfected wound [Cornell et al], 5:353
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus [Andersen], 5:406

Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Venous aneurysm of the dorsal venous arch: a case with an unusual etiology [Sadr and Paes], 2:143
What you can't feel can hurt you [Boulton], 5:349
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Vein
Challenges of distal bypass surgery in patients with diabetes: patient selection, techniques, and outcomes [Conte], 5:429
Venous aneurysm of the dorsal venous arch: a case with an unusual etiology [Sadr and Paes], 2:143

Verruca
Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502

W

Walking
Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456

AUTHOR INDEX

A

Agnew, Patrick: Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155

Andersen, Charles A.:
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Noninvasive assessment of lower-extremity hemodynamics in individuals with diabetes mellitus, 5:406

Andros, George:
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342

Angelini, Paula F.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

Armstrong, David G.:
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

Armstrong, Greg: New techniques advance foot orthosis design (abstract) [Lidtke et al], 1:66

Attinger, Christopher E.:
Debridement of the noninfected wound [Cornell et al], 5:353
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80

Aska, Glenroy: Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487

Au, Emily Yim Lee: Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14

B

Bagdon, Miranda: Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456

Bartosik, Katherine E.: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121

Becerro de Bengoa Vallejo, Ricardo: Poor sitting posture and metatarsus adductus deformity (letter) [Losa Iglesias et al], 3:231

Becker, John H.: Fever—an update [Becker and Wu], 4:281

Belczyk, Ronald:
Synovial sarcoma of the foot: a case report [Racz et al], 3:216
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299

Benedetti, Maria Grazia: Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463

Bennett, John: Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83

Berti, Lisa: Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463

Bevilacqua, Nicholas J.:
Organized programs to prevent lower-extremity amputations [Rogers and Bevilacqua], 2:101; (letter) [Rogers and Bevilacqua], 4:313
Surgical off-loading of the diabetic foot [Frykberg et al], 5:369

Bharara, Manish: A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401

Block, Joel A.: Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178

Bongaerts, Willem: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

Boone, Barbara: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], i:35

Bornstein, Eric S.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166

Botek, Georgeanne: Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265

Boulton, Andrew J. M.: What you can't feel can hurt you, 5:349

Bozkurt, Murat: Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296

Buckley, Jonathan: Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195

Bus, Sicco A.: Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360

C

Cancilleri, Francesco: Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204

Caporusso, Joseph: Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342

Castillo, Jose M.: Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472

Cavanagh, Peter R.: Off-loading the diabetic foot for ulcer prevention and healing [Cavanagh and Bus], 5:360

Ceccarelli, Francesco: Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463

Charles, James: Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195

Chechik, Ahron: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270

Childers, Martin K.: Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209

Clark, Greg: Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185

Clark, Joel: Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445

Comstock, Kathryn:
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69

Connolly, John E.: Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133

Conte, Michael S.: Challenges of distal bypass surgery in

patients with diabetes: patient selection, techniques, and outcomes, 5:429
Cook, Jeremy: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Cook, Keith D.: Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185
Cordoba, Antonio: A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Córdoba-Fernández, Antonio: Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138
Cornell, Rhonda S.: Debridement of the noninfected wound [Cornell et al], 5:353
Cozzetto, Dana: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Cunha, Miguel: Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80

D

Davis, Brian L.:
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
DeBrule, Michael B.: Ultrasound-guided Weil percutaneous plantar fasciotomy, 2:146
DeCarbo, William T.: Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Degirmenci, Erdem: Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Deleyiannis, Frederic W. B.: Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Demiraran, Yavuz: Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Demirkale, Ismail: Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Denaro, Vincenzo: Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Derk, Francis: Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299
De Roo, Pieter-Jan: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35
De Vil, Jeroen J. K.: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35
Dobbelaere-Nicolas, Vinciane: Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
Dominguez, Gabriel: Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
Dreiangel, Niv: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Driver, Vickie R.:
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Dunnihoo, Mark E.: Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Durrant, Michael: Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1

E

Echeverri, Santiago: Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
Edgar, Sarah: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Edmonds, Michael E.:
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317

F

Fabbi, Matteo:
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Faul, Justin: Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Fernandez, Martin P.: Synovial sarcoma of the foot: a case report [Racz et al], 3:216
Fisher, Timothy K.: A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Fogerson, Patricia M.: Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258
French, Michael A.: The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235
Frykberg, Robert G.: Surgical off-loading of the diabetic foot [Frykberg et al], 5:369

G

Galiano, Robert D.: Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Geletta, Simon: The role of institutional selectivity in the prediction of podiatric medical school performance [Smith and Geletta], 6:479
Geller, Stephen M.: Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493
Giannini, Sandro: Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463
Gibbons, Gary: The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
Giorgini, Renato: Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Goodman, Russell A.: The impact of a podiatric lead limb preservation team on disease outcomes and risk prediction in the diabetic lower extremity: a retrospective cohort study [Driver et al], 4:235

Goonetilleke, Ravindra S.: Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14

H

Habershaw, Geoffrey: Surgical off-loading of the diabetic foot [Frykberg et al], 5:369
Hao, Da-Peng: Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Harkless, Lawrence B.: Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Harris, John G.: Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Herman, Amir: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Hillstrom, Howard J.: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Huffman, Lanie K.: Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Hurley, David P., Jr.: Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
Husni, Elaine: Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
Huxel, Kellie: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121

I

Ihnat, Daniel M.: Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Illanes-Moreno, Matilde: A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
Israeli, Amnon: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270

J

James, Alicia: Poor sitting posture and metatarsus adductus deformity (letter) [Williams and James], 3:231
Janis, Leonard: Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Japour, Christopher: Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Javed, Najwa: Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Jedlicka, Nicole M.: Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Jensen, Ronald D.:
You are not alone, 1:91
When do you stop swimming?, 2:154
John, Mathew M.: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Joseph, Robert: Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Joseph, Warren S.:
Guidelines for authors, 1:86, 2:149, 5:439
Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Juárez-Jiménez, José María: A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497

K

Kalkan, Tughan: Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Kaplansky, David B.: Early clinical experience with a fresh talar transplant inlay allograft for the treatment of osteochondral lesions of the talus [Janis et al], 1:25
Kaynak, Gursel: Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105
Kim, Esther: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Kim, Eunkuk: Tarsal tunnel syndrome associated with a pulsating artery: effectiveness of high-resolution ultrasound in diagnosing tarsal tunnel syndrome [Eunkuk and Childers], 3:209
King, William N.: Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
Kirby, Kevin A.: In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Kish, Beni: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Kitterman, Ryan T.: Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Kong, Pui W.: Shoe preference based on subjective comfort for walking and running [Kong and Bagdon], 6:456
Kwasny, Mary: Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178

L

Lafuente, Guillermo: Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472
Landsman, Adam S.:
Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Lang, Adam: Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83
Langlois, Michael R.: Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299
Lavery, Lawrence A.:
The costs of diabetic foot: the economic case for the limb salvage team [Driver et al], 5:335
The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
Lidtke, Roy:
Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
New techniques advance foot orthosis design (abstract) [Lidtke et al], 1:66
Lipsky, Benjamin A.: Medical therapy of diabetic foot infections [Joseph and Lipsky], 5:395
Liu, Ji-Hua: Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Lopez, Angel: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Losa Iglesias, Marta Elena: Poor sitting posture and metatarsus adductus deformity (letter) [Losa Iglesias et al], 3:231

Lui, Eric: Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185

M

Mahmood, Sadia: Limb-length discrepancy as a cause of plantar fasciitis [Mahmood et al], 6:452
Mann, Gideon: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Marinozzi, Andrea: Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Marston, William: Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385
Martinelli, Nicolò: Hallux valgus correction in a patient with metatarsus adductus with multiple distal oblique osteotomies [Martinelli et al], 3:204
Masarawa, Sabri: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Maskill, James: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Matsuno, Hiroaki: Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10
Mazuecos-Blanca, José: A report of a rare case of myxoinflammatory fibroblastic sarcoma [Cordoba et al], 6:497
McElroy, Tucker: Radiographic image distortion between the distal edge of the first metatarsal and the tibial sesamoid: establishing a reliable radiographic relationship [Durrant and McElroy], 1:1
McMahon, Mike: New techniques advance foot orthosis design (abstract) [Lidtke et al], 1:66
Mei-Dan, Omer: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Mendeszoon, Mark J.: Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome' [Mendeszoon and Wire], 6:505
Meyr, Andrew J.:
Debridement of the noninfected wound [Cornell et al], 5:353
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511
Mills, Joseph L., Sr:
Current assessment of endovascular therapy for infrainguinal arterial occlusive disease in patients with diabetes [Ihnat and Mills], 5:424
Rescuing Sisyphus: the team approach to amputation prevention [Mills et al], 5:315
A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Morewitz, Stephen: Age differences in hopelessness and toe pain in persons with insulin-dependent and non–insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Muehleman, Carol: Foot center of pressure and medial knee osteoarthritis [Lidtke et al], 3:178
Munuera, Pedro V.: Orthotic devices with out-toeing wedge as treatment for in-toed gait in children [Munuera et al], 6:472

N

Najafi, Bijan: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Nardin, Rachel A.: Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258
Nguyen, Tea Tu: Load deformation evaluation of lateral radiographic foot measurements (abstract) [Nguyen et al], 1:83
Nickerson, D. Scott: Low recurrence rate of diabetic foot ulcer after nerve decompression, 2:111
Nicolau, David P.: Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Nie, Rui: Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258
Nyska, Meir: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93

O

Oster, Mary: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Ozturan, Kutay Engin: Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105

P

Paes, Trevor R.: Venous aneurysm of the dorsal venous arch: a case with an unusual etiology [Sadr and Paes], 2:143
Palamarchuk, Howard: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Parish, Lawrence: Diabetic foot ulcers treated with becaplermin and TheraGauze, a moisture-controlling smart dressing: a randomized, multicenter, prospective analysis [Landsman et al], 3:155
Perez, Andres: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Peterson, Kyle S.: Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Peterson, Paul: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Pomposelli, Frank: Arterial imaging in patients with lower-extremity ischemia and diabetes mellitus, 5:412

R

Racz, Roger: Synovial sarcoma of the foot: a case report [Racz et al], 3:216
Ratcliffe, Nora R.: Intraosseous epidermoid inclusion cyst presenting as a paronychia of the hallux [Connolly and Ratcliffe], 2:133
Rayo-Rosado, Rafael: Pseudogout of the first metatarsophalangeal joint associated with hallux valgus: an atypical bilateral case [Córdoba-Fernández et al], 2:138
Renzi, Ronald: Organized programs to prevent lower-extremity amputations (letter), 4:313
Reynolds, Eric: Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Robbins, Alan H.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Robbins, Jeffrey M.: History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
Rogers, Lee C.:
Organized programs to prevent lower-extremity amputations [Rogers and Bevilacqua], 2:101; (letter) [Rogers and Bevilacqua], 4:313

Toe and flow: essential components and structure of the amputation prevention team [Rogers et al], 5:342
Roth, Bryan J.: Deep soft-tissue necrosis of the foot and ankle caused by catfish envenomation: a case report [Roth and Geller], 6:493
Rutkove, Seward B.: Foot temperature in healthy individuals: effects of ambient temperature and age [Nardin et al], 4:258

S

Sadr, Amir H.: Venous aneurysm of the dorsal venous arch: a case with an unusual etiology [Sadr and Paes], 2:143
Saez Crespo, Antonio: Poor sitting posture and metatarsus adductus deformity (letter) [Losa Iglesias et al], 3:231
Salvadores Fuentes, Paloma: Poor sitting posture and metatarsus adductus deformity (letter) [Losa Iglesias et al], 3:231
Sam, Hakeem: Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304
Sanders, Lee J.: History of the team approach to amputation prevention: pioneers and milestones [Sanders et al], 5:317
Scimeca, Christy L.: A stepwise approach for surgical management of diabetic foot infections [Fisher et al], 5:401
Scutter, Sheila D.: Static ankle joint equinus: toward a standard definition and diagnosis [Charles et al], 3:195
Segal, Ayal: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Shabat, Shai: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Shanmugam, Ramalingam: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Sheridan, Larry: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Shroyer, Justin F.: Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
Shteren, Avi: Treatment of osteoarthritis of the ankle by intra-articular injections of hyaluronic acid: a prospective study [Mei-Dan et al], 2:93
Sitler, Michael: Anatomical and biomechanical assessments of medial tibial stress syndrome [Bartosik et al], 2:121
Smith, David K.: In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Smith, Kevin M.:
Painful os intermetatarseum [Smith and Welch], 3:213
The role of institutional selectivity in the prediction of podiatric medical school performance [Smith and Geletta], 6:479
Speksnijder, Caroline M.: Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41
Spooner, Simon K.: In-shoe pressure measurement and foot orthosis research: a giant leap forward or a step too far? [Spooner et al], 6:518
Stein, Gary E.: Therapeutic options for diabetic foot infections: a review with an emphasis on tissue penetration characteristics [Nicolau and Stein], 1:52
Steinberg, John S.:
Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers (abstract) [Steinberg et al], 1:73
Debridement of the noninfected wound [Cornell et al], 5:353
Forefoot ulcer recurrence following partial first ray amputation: the role of tendo-Achilles lengthening (abstract) [Cunha et al], 1:80
Legal aspects of podiatric pain management [Meyr and Steinberg], 6:511
Stone, Kathleen M.:
APMA House of Delegates: acceptance address, 3:232
Foot soldiers in the battle for recognition, 5:442
Let your light shine, 6:531
A shout for women DPMs, and a cheer for equality, 4:314
Stratton, Michael: Use of low-frequency electrical stimulation for the treatment of plantar fasciitis (letter), 4:312
Straudi, Sofia: Clinicoradiographic assessment of flexible flatfoot in children [Benedetti et al], 6:463
Sumpio, Bauer E.: The role of interdisciplinary team approach in the management of the diabetic foot: a joint statement from the Society for Vascular Surgery and the American Podiatric Medical Association [Sumpio et al], 4:309
Sung, Wenjay: Subungual squamous cell carcinoma after organ transplantation [Sung et al], 4:304

T

Tata, Sharada: Age differences in hopelessness and toe pain in persons with insulin-dependent and non-insulin-dependent diabetes mellitus [Morewitz et al], 6:445
Tenenbaum, Shay: The percutaneous surgical approach for repairing acute Achilles tendon rupture: a comprehensive outcome assessment [Tenenbaum et al], 4:270
Thomas, Mary: Intraosseous lipoma: a report of two cases with use of tricalcium phosphate bone void filler [Japour et al], 6:487
Tran, David: Angiokeratoma presenting as plantar verruca: a case study [Dunnihoo et al], 6:502
Tunc, Birol: Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Turlik, Michael: Use of low-frequency electrical stimulation for the treatment of plantar fasciitis (letter), 4:312

U

Unlu, Serhan: Large subungual exostosis of the great toe: a case report [Unlu et al], 4:296
Utsunomiya, Tatsuma: Development of a novel stocking for foot sole pain in patients with rheumatoid arthritis [Matsuno and Utsunomiya], 1:10

V

Vajaria, Gaurav: Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185
Vallotton, Jacques: Functional hallux limitus or rigidus caused by a tenodesis effect at the retrotalar pulley: description of the functional stretch test and the simple Hoover cord maneuver that releases this tenodesis [Vallotton et al], 3:220
van de Water, Alexander T. M.: Efficacy of taping for the treatment of plantar fasciosis: a systematic review of controlled trials [van de Water and Speksnijder], 1:41
Van Seymortier, Peter: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35
Vardaxis, Vassilios G.:
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69
Load deformation evaluation of lateral radiographic foot measurements.(abstract) [Nguyen et al], 1:83
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Verdonk, René: Scarf osteotomy for hallux valgus deformity: a prospective study with 8 years of clinical and radiologic follow-up [De Vil et al], 1:35

W

Wallace, George F.: Strength of braided polyblend polyethylene sutures versus braided polyester sutures in Achilles tendon repair: a cadaveric study [Cook et al], 3:185
Wang, Zhen-Chang: Osteochondral lesions of the talus: com-

parison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Weerasinghe, Thilina W.: Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14
Weimar, Wendi H.: Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers [Shroyer and Weimar], 4:251
Welch, Matt B.: Painful os intermetatarseum [Smith and Welch], 3:213
West, Bryan Christopher: Mini TightRope system for hallux abducto valgus deformity: a discussion and case report, 4:291
Williams, Cylie: Poor sitting posture and metatarsus adductus deformity (letter) [Williams and James], 3:231
Williams, Ronald P.: Synovial sarcoma of the foot: a case report [Racz et al], 3:216
Willis, F. Buck: Plantar fasciopathy treated with dynamic splinting: a randomized controlled trial [Sheridan et al], 3:161
Wire, Kyle R.: Diffuse large B-cell lymphoma of the ankle: a case study of surgical intervention and outcome [Mendeszoon and Wire], 6:505
Witana, Channa P.: Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14
Wrobel, James S.: A proof-of-concept study for measuring gait speed, steadiness, and dynamic balance under various footwear conditions outside of the gait laboratory [Wrobel et al], 4:242
Wu, Catherine C.: Treatment of mild, moderate, and severe onychomycosis using 870- and 930-nm light exposure [Landsman et al], 3:166
Wu, Stephanie C.:
Fever—an update [Becker and Wu], 4:281
Wound care: the role of advanced wound-healing technologies [Wu et al], 5:385

X

Xiong, Shuping: Foot arch characterization: a review, a new metric, and a comparison [Xiong et al], 1:14
Xu, Wen-Jian: Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189

Y

Yang, Ben-Tao: Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189
Yavuz, Metin:
Plantar shear stress distribution in athletic individuals with frictional foot blisters [Yavuz and Davis], 2:116
Plantar shear stress distribution in patients with rheumatoid arthritis: relevance to foot pain [Yavuz et al], 4:265
Yoho, Robert M.:
Admission characteristics and academic performance of podiatric and osteopathic medical students at Des Moines University [Yoho et al], 4:276; (abstract) [Yoho et al], 1:69
Radiographic analysis of Haglund's deformity: an evaluation of NCSP and RCSP (abstract) [Peterson et al], 1:78
Yucel, Istemi: Comparison of high-dose extracorporeal shockwave therapy and intralesional corticosteroid injection in the treatment of plantar fasciitis [Yucel et al], 2:105

Z

Zgonis, Thomas:
Synovial sarcoma of the foot: a case report [Racz et al], 3:216
Trimethoprim-sulfamethoxazole–induced Stevens-Johnson syndrome: a case report [Langlois et al], 4:299
Zhang, Jian-Zhong: Osteochondral lesions of the talus: comparison of three-dimensional fat-suppressed fast spoiled gradient-echo magnetic resonance imaging and conventional magnetic resonance imaging [Hao et al], 3:189